

180mm deep x 600 mm wide drainage trench lined with Imperviable Taram / 150mm top cover. (See Note 10) - 150mm top cover drainage pipe at 10 metre centre spacing into adjacent area. (See Detail A)


180mm deep x 600 mm wide drainage trench lined with Imperviable Taram / 150mm top cover. (See Note 10) - 150mm top cover drainage pipe at 10 metre centre spacing into adjacent area. (See Detail A)

**DOMESTIC STORM DRAINS**  
100 mm dia (100 mm dia) drain (100 mm dia) to be provided in front of garage in plots 11, 12 & 13. (See Detail B)


**ACC CHANNELS**  
Acc channels to be provided in front of garage in plots 11, 12 & 13. (See Detail B)

**HIGHWAY STORM DRAINS**  
100 mm dia (100 mm dia) drain (100 mm dia) to be provided in front of garage in plots 11, 12 & 13. (See Detail B)

**DOMESTIC FLOOD DRAINS**  
100 mm dia (100 mm dia) drain (100 mm dia) to be provided in front of garage in plots 11, 12 & 13. (See Detail B)



Impermeable Storage Trench - Detail (A)



Soakaway Trench Detail

Rev E 18/4/2000 drainage plots 11, 12 & 13 added. Acc channels to garages and main entrance thresholds. Plots 9, 10, 14 & 15 revised  
 Rev D 4/2/2000 drainage plots 17 & 18 - Plots 8 & 7 added  
 Rev C 2/2/2000 Storm drainage revised  
 Rev B 15/10/2000 Storm drainage soakaway trench detail added  
 Rev A 15/10/1999 Storm drainage proposals expanded. Soakaways removed continuous soakaway trench added

Project	TENAPLAS, TENAPLAS DRIVE, UPPER BASILDON, BERKSHIRE
Drawing	SITE PLAN - DRAINAGE LAYOUT
Client	CLANCY DEVELOPMENTS LTD
Scale	1 : 250 & 1 : 20 Date 28 / 9 / 1999 Dwg No. 1998 / 584 / 101E

Edward J. Payne & Associates  
 Chartered Architects  
 Saddlers House, High Street, Chalfont St Giles, Bucks. HP8 4GD  
 Tel: Chalfont St Giles (01494) 879889 Fax: (01494) 872020

